

| Sample | sec | RPM | Lb/Ft | Hors... | COR HP | Airflow | Cool... | Fuel... | Mfd P... | Exha... |
|--------|-------|------|-------|---------|--------|---------|---------|---------|----------|---------|
| | | RPM | LbFt | HP | CHP | L/Min | F | PSI | Kpa | F |
| 470 | 47.00 | 2460 | 18.31 | 9 | 8 | -5 | 76 | -0 | 99.9 | 79 |
| 471 | 47.11 | 2430 | 18.19 | 8 | 8 | -5 | 77 | -0 | 99.9 | 78 |
| 472 | 47.20 | 2410 | 18.00 | 8 | 8 | -5 | 76 | -0 | 99.9 | 79 |
| 473 | 47.31 | 2400 | 17.78 | 8 | 8 | -5 | 76 | -0 | 99.9 | 79 |
| 474 | 47.41 | 2390 | 17.66 | 8 | 8 | -5 | 77 | -0 | 99.9 | 78 |
| 475 | 47.50 | 2390 | 17.56 | 8 | 8 | -5 | 76 | -0 | 99.9 | 79 |
| 476 | 47.61 | 2400 | 17.48 | 8 | 8 | -5 | 76 | -0 | 99.9 | 79 |
| 477 | 47.70 | 2400 | 17.43 | 8 | 8 | -5 | 76 | -0 | 99.9 | 79 |
| 478 | 47.81 | 2390 | 17.40 | 8 | 8 | -5 | 76 | -0 | 99.9 | 79 |
| 479 | 47.91 | 2390 | 17.25 | 8 | 7 | -4 | 76 | -0 | 99.9 | 78 |
| 480 | 48.00 | 2400 | 17.21 | 8 | 7 | -5 | 76 | -0 | 99.9 | 78 |
| 481 | 48.11 | 2400 | 17.16 | 8 | 7 | -5 | 76 | -0 | 99.9 | 78 |
| 482 | 48.20 | 2410 | 17.05 | 8 | 7 | -4 | 77 | -0 | 99.9 | 79 |
| 483 | 48.31 | 2410 | 17.01 | 8 | 7 | -5 | 76 | -0 | 99.9 | 79 |
| 484 | 48.41 | 2420 | 16.96 | 8 | 7 | -5 | 76 | -0 | 99.9 | 79 |
| 485 | 48.50 | 2430 | 17.01 | 8 | 7 | -5 | 76 | -0 | 99.9 | 79 |
| 486 | 48.61 | 2450 | 17.00 | 8 | 8 | -4 | 77 | -0 | 99.9 | 78 |
| 487 | 48.70 | 2470 | 17.17 | 8 | 8 | -5 | 76 | -0 | 99.9 | 79 |
| 488 | 48.81 | 2490 | 17.35 | 8 | 8 | -5 | 76 | -0 | 99.9 | 78 |
| 489 | 48.91 | 2510 | 17.29 | 8 | 8 | -5 | 76 | -0 | 99.9 | 79 |
| 490 | 49.00 | 2520 | 17.34 | 8 | 8 | -5 | 77 | -0 | 99.9 | 79 |
| 491 | 49.11 | 2530 | 17.28 | 8 | 8 | -5 | 77 | -0 | 99.9 | 78 |
| 492 | 49.20 | 2550 | 17.38 | 8 | 8 | -5 | 76 | -0 | 99.9 | 79 |
| 493 | 49.31 | 2560 | 17.57 | 9 | 8 | -5 | 76 | -0 | 99.9 | 78 |
| 494 | 49.41 | 2580 | 17.59 | 9 | 8 | -4 | 77 | -0 | 99.9 | 78 |
| 495 | 49.50 | 2600 | 17.62 | 9 | 8 | -4 | 77 | -0 | 99.9 | 78 |
| 496 | 49.61 | 2610 | 17.70 | 9 | 8 | -4 | 77 | -0 | 99.9 | 78 |
| 497 | 49.70 | 2630 | 17.77 | 9 | 8 | -5 | 77 | -0 | 99.9 | 79 |
| 498 | 49.81 | 2640 | 17.95 | 9 | 9 | -5 | 76 | -0 | 99.9 | 79 |
| 499 | 49.91 | 2660 | 17.99 | 9 | 9 | -5 | 76 | -0 | 99.9 | 79 |
| 500 | 50.00 | 2670 | 18.12 | 9 | 9 | -5 | 76 | -0 | 99.9 | 79 |
| 501 | 50.11 | 2680 | 18.16 | 9 | 9 | -5 | 76 | -0 | 99.9 | 79 |
| 502 | 50.20 | 2690 | 18.15 | 9 | 9 | -5 | 77 | -0 | 99.9 | 78 |
| 503 | 50.31 | 2700 | 18.23 | 9 | 9 | -4 | 77 | -0 | 99.9 | 78 |
| 504 | 50.41 | 2720 | 18.17 | 9 | 9 | -5 | 77 | -0 | 99.9 | 78 |
| 505 | 50.50 | 2720 | 18.12 | 9 | 9 | -5 | 76 | -0 | 99.9 | 79 |
| 506 | 50.61 | 2720 | 18.07 | 9 | 9 | -4 | 76 | -0 | 99.9 | 79 |
| 507 | 50.70 | 2730 | 18.14 | 9 | 9 | -5 | 77 | -0 | 99.9 | 79 |
| 508 | 50.81 | 2750 | 18.17 | 9 | 9 | -5 | 76 | -0 | 99.9 | 79 |
| 509 | 50.91 | 2760 | 18.20 | 10 | 9 | -5 | 77 | -0 | 99.9 | 78 |
| 510 | 51.00 | 2760 | 18.39 | 10 | 9 | -5 | 77 | -0 | 99.9 | 78 |
| 511 | 51.11 | 2770 | 18.42 | 10 | 9 | -4 | 77 | -0 | 99.9 | 78 |
| 512 | 51.20 | 2770 | 18.41 | 10 | 9 | -4 | 77 | -0 | 99.9 | 79 |
| 513 | 51.31 | 2790 | 18.55 | 10 | 9 | -5 | 77 | -0 | 99.9 | 79 |
| 514 | 51.41 | 2800 | 18.62 | 10 | 9 | -5 | 76 | -0 | 99.9 | 79 |
| 515 | 51.50 | 2810 | 18.60 | 10 | 9 | -4 | 77 | -0 | 99.9 | 78 |
| 516 | 51.61 | 2810 | 18.60 | 10 | 9 | -5 | 77 | -0 | 99.9 | 78 |
| 517 | 51.70 | 2820 | 18.70 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 518 | 51.81 | 2820 | 18.48 | 10 | 9 | -5 | 76 | -0 | 99.9 | 79 |
| 519 | 51.91 | 2820 | 18.38 | 10 | 9 | -5 | 77 | -0 | 99.9 | 78 |
| 520 | 52.00 | 2820 | 18.52 | 10 | 9 | -5 | 77 | -0 | 99.9 | 78 |
| 521 | 52.11 | 2830 | 18.57 | 10 | 10 | -5 | 77 | -0 | 99.9 | 78 |
| 522 | 52.20 | 2850 | 18.48 | 10 | 10 | -4 | 77 | -0 | 99.9 | 79 |
| 523 | 52.31 | 2850 | 18.63 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 524 | 52.41 | 2840 | 18.62 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 525 | 52.50 | 2840 | 18.53 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 526 | 52.61 | 2850 | 18.76 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 527 | 52.70 | 2860 | 18.62 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 528 | 52.81 | 2870 | 18.75 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 529 | 52.91 | 2860 | 18.94 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 530 | 53.00 | 2860 | 18.89 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |

| Sample | sec | RPM | Lb/Ft | Hors... | COR HP | Airflow | Cool... | Fuel... | Mfd P... | Exha... |
|--------|-------|------|-------|---------|--------|---------|---------|---------|----------|---------|
| | | RPM | LbFt | HP | CHP | L/Min | F | PSI | Kpa | F |
| 531 | 53.11 | 2870 | 19.02 | 10 | 10 | -4 | 77 | -0 | 99.9 | 78 |
| 532 | 53.20 | 2870 | 18.98 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 533 | 53.31 | 2870 | 18.95 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 534 | 53.41 | 2870 | 18.92 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 535 | 53.50 | 2890 | 18.90 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 536 | 53.61 | 2890 | 18.88 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 537 | 53.70 | 2890 | 18.87 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 538 | 53.81 | 2900 | 18.81 | 10 | 10 | -5 | 77 | -0 | 99.9 | 78 |
| 539 | 53.91 | 2910 | 18.86 | 10 | 10 | -4 | 77 | -0 | 99.9 | 78 |
| 540 | 54.00 | 2920 | 18.84 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 541 | 54.11 | 2920 | 18.78 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 542 | 54.20 | 2920 | 18.78 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 543 | 54.31 | 2920 | 18.72 | 10 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 544 | 54.41 | 2930 | 18.81 | 10 | 10 | -5 | 77 | -0 | 99.9 | 78 |
| 545 | 54.50 | 2930 | 18.92 | 11 | 10 | -5 | 76 | -0 | 99.9 | 78 |
| 546 | 54.61 | 2950 | 19.07 | 11 | 10 | -5 | 76 | -0 | 99.9 | 79 |
| 547 | 54.70 | 2950 | 19.02 | 11 | 10 | -5 | 77 | -0 | 99.9 | 79 |
| 548 | 54.81 | 2960 | 19.01 | 11 | 10 | -5 | 77 | -0 | 99.9 | 79 |
| 549 | 54.91 | 2970 | 18.89 | 11 | 10 | -5 | 77 | -0 | 99.9 | 79 |
| 550 | 55.00 | 2980 | 18.72 | 11 | 10 | -5 | 77 | -0 | 99.9 | 78 |
| 551 | 55.11 | 2990 | 18.70 | 11 | 10 | -5 | 77 | -0 | 99.9 | 79 |
| 552 | 55.20 | 2990 | 18.70 | 11 | 10 | -4 | 76 | -0 | 99.9 | 79 |
| 553 | 55.31 | 3000 | 18.81 | 11 | 10 | -4 | 77 | -0 | 99.9 | 78 |
| 554 | 55.41 | 3000 | 18.71 | 11 | 10 | -4 | 77 | -0 | 99.9 | 79 |
| 555 | 55.50 | 3030 | 18.79 | 11 | 10 | -4 | 77 | -0 | 99.9 | 78 |
| 556 | 55.61 | 3060 | 18.76 | 11 | 10 | -5 | 77 | -0 | 99.9 | 78 |
| 557 | 55.70 | 3090 | 18.64 | 11 | 10 | -5 | 77 | -0 | 99.9 | 78 |
| 558 | 55.81 | 3120 | 18.79 | 11 | 11 | -4 | 76 | -0 | 99.9 | 79 |
| 559 | 55.91 | 3150 | 19.13 | 11 | 11 | -4 | 77 | -0 | 99.9 | 78 |
| 560 | 56.00 | 3180 | 19.15 | 12 | 11 | -5 | 77 | -0 | 99.9 | 79 |
| 561 | 56.11 | 3220 | 19.13 | 12 | 11 | -5 | 76 | -0 | 99.9 | 79 |
| 562 | 56.20 | 3260 | 19.10 | 12 | 11 | -5 | 76 | -0 | 99.9 | 79 |
| 563 | 56.31 | 3290 | 19.38 | 12 | 12 | -4 | 77 | -0 | 99.9 | 78 |
| 564 | 56.41 | 3320 | 19.47 | 12 | 12 | -5 | 77 | -0 | 99.9 | 78 |
| 565 | 56.50 | 3340 | 19.67 | 13 | 12 | -5 | 76 | -0 | 99.9 | 79 |
| 566 | 56.61 | 3370 | 19.70 | 13 | 12 | -5 | 76 | -0 | 99.9 | 79 |
| 567 | 56.70 | 3400 | 19.70 | 13 | 12 | -5 | 76 | -0 | 99.9 | 79 |
| 568 | 56.81 | 3420 | 19.75 | 13 | 12 | -5 | 76 | -0 | 99.9 | 79 |
| 569 | 56.91 | 3430 | 19.77 | 13 | 12 | -5 | 77 | -0 | 99.9 | 78 |
| 570 | 57.00 | 3450 | 19.97 | 13 | 12 | -5 | 76 | -0 | 99.9 | 79 |
| 571 | 57.11 | 3480 | 20.02 | 13 | 13 | -5 | 76 | -0 | 99.9 | 79 |
| 572 | 57.20 | 3510 | 20.14 | 13 | 13 | -5 | 76 | -0 | 99.9 | 79 |
| 573 | 57.31 | 3530 | 20.21 | 14 | 13 | -5 | 76 | -0 | 99.9 | 79 |
| 574 | 57.41 | 3550 | 20.25 | 14 | 13 | -4 | 77 | -0 | 99.9 | 78 |
| 575 | 57.50 | 3550 | 20.41 | 14 | 13 | -5 | 76 | -0 | 99.9 | 79 |
| 576 | 57.61 | 3560 | 20.35 | 14 | 13 | -5 | 77 | -0 | 99.9 | 79 |
| 577 | 57.70 | 3580 | 20.48 | 14 | 13 | -5 | 76 | -0 | 99.9 | 79 |
| 578 | 57.81 | 3590 | 20.41 | 14 | 13 | -5 | 77 | -0 | 99.9 | 79 |
| 579 | 57.91 | 3610 | 20.47 | 14 | 13 | -5 | 77 | -0 | 99.9 | 78 |
| 580 | 58.00 | 3640 | 20.38 | 14 | 13 | -5 | 76 | -0 | 99.9 | 79 |
| 581 | 58.11 | 3680 | 20.51 | 14 | 14 | -5 | 76 | -0 | 99.9 | 79 |
| 582 | 58.20 | 3710 | 20.56 | 15 | 14 | -4 | 76 | -0 | 99.9 | 79 |
| 583 | 58.31 | 3750 | 20.51 | 15 | 14 | -5 | 76 | -0 | 99.9 | 79 |
| 584 | 58.41 | 3780 | 20.48 | 15 | 14 | -4 | 77 | -0 | 99.9 | 78 |
| 585 | 58.50 | 3800 | 20.65 | 15 | 14 | -4 | 76 | -0 | 99.9 | 79 |
| 586 | 58.61 | 3830 | 20.56 | 15 | 14 | -5 | 76 | -0 | 99.9 | 79 |
| 587 | 58.70 | 3860 | 20.88 | 15 | 15 | -5 | 76 | -0 | 99.9 | 79 |
| 588 | 58.81 | 3880 | 20.99 | 16 | 15 | -4 | 77 | -0 | 99.9 | 78 |
| 589 | 58.91 | 3910 | 21.23 | 16 | 15 | -4 | 76 | -0 | 99.9 | 79 |
| 590 | 59.00 | 3940 | 21.02 | 16 | 15 | -5 | 77 | -0 | 99.9 | 78 |
| 591 | 59.11 | 3950 | 21.36 | 16 | 15 | -5 | 76 | -0 | 99.9 | 79 |

| Sample | sec | RPM | Lb/Ft | Hors... | COR HP | Airflow | Cool... | Fuel... | Mfd P... | Exha... |
|--------|-------|------|-------|---------|--------|---------|---------|---------|----------|---------|
| | | RPM | LbFt | HP | CHP | L/Min | F | PSI | Kpa | F |
| 592 | 59.20 | 3960 | 21.17 | 16 | 15 | -5 | 76 | -0 | 99.9 | 79 |
| 593 | 59.31 | 3970 | 21.71 | 16 | 16 | -5 | 76 | -0 | 99.9 | 78 |
| 594 | 59.41 | 3980 | 22.01 | 17 | 16 | -5 | 76 | -0 | 99.9 | 79 |
| 595 | 59.50 | 3980 | 21.79 | 17 | 16 | -5 | 76 | -0 | 99.9 | 79 |
| 596 | 59.61 | 3990 | 21.94 | 17 | 16 | -5 | 76 | -0 | 99.9 | 79 |
| 597 | 59.70 | 3980 | 22.06 | 17 | 16 | -5 | 77 | -0 | 99.9 | 79 |
| 598 | 59.81 | 3990 | 21.65 | 16 | 16 | -5 | 77 | -0 | 99.9 | 79 |
| 599 | 59.91 | 4000 | 21.60 | 16 | 16 | -4 | 76 | -0 | 99.9 | 79 |
| 600 | 01:00 | 4010 | 21.83 | 17 | 16 | -5 | 76 | -0 | 99.9 | 79 |
| 601 | 01:00 | 4010 | 22.18 | 17 | 16 | -5 | 76 | -0 | 99.9 | 79 |
| 602 | 01:00 | 4030 | 22.37 | 17 | 16 | -5 | 76 | -0 | 99.9 | 79 |
| 603 | 01:00 | 4040 | 22.33 | 17 | 16 | -5 | 76 | -0 | 99.9 | 79 |
| 604 | 01:00 | 4060 | 22.63 | 17 | 17 | -5 | 76 | -0 | 99.9 | 79 |
| 605 | 01:01 | 4060 | 22.79 | 18 | 17 | -5 | 76 | -0 | 99.9 | 79 |
| 606 | 01:01 | 4070 | 23.21 | 18 | 17 | -5 | 76 | -0 | 99.9 | 79 |
| 607 | 01:01 | 4070 | 23.37 | 18 | 17 | -5 | 76 | -0 | 99.9 | 79 |
| 608 | 01:01 | 4060 | 23.21 | 18 | 17 | -5 | 77 | -0 | 99.9 | 78 |
| 609 | 01:01 | 4060 | 22.85 | 18 | 17 | -5 | 77 | -0 | 99.9 | 78 |
| 610 | 01:01 | 4070 | 22.36 | 17 | 16 | -5 | 77 | -0 | 99.9 | 78 |
| 611 | 01:01 | 4080 | 21.93 | 17 | 16 | -5 | 76 | -0 | 99.9 | 79 |
| 612 | 01:01 | 4100 | 22.31 | 17 | 17 | -4 | 77 | -0 | 99.9 | 79 |
| 613 | 01:01 | 4110 | 22.63 | 18 | 17 | -4 | 77 | -0 | 99.9 | 79 |
| 614 | 01:01 | 4130 | 22.14 | 17 | 17 | -5 | 76 | -0 | 99.9 | 79 |
| 615 | 01:02 | 4140 | 22.57 | 18 | 17 | -4 | 77 | -0 | 99.9 | 78 |
| 616 | 01:02 | 4140 | 22.13 | 17 | 17 | -4 | 76 | -0 | 99.9 | 79 |
| 617 | 01:02 | 4150 | 22.51 | 18 | 17 | -4 | 77 | -0 | 99.9 | 78 |
| 618 | 01:02 | 4160 | 21.92 | 17 | 16 | -5 | 77 | -0 | 99.9 | 78 |
| 619 | 01:02 | 4170 | 21.38 | 17 | 16 | -4 | 77 | -0 | 99.9 | 79 |
| 620 | 01:02 | 4200 | 21.14 | 17 | 16 | -5 | 76 | -0 | 99.9 | 79 |
| 621 | 01:02 | 4220 | 33.76 | 27 | 26 | -5 | 77 | -0 | 99.9 | 78 |
| 622 | 01:02 | 4240 | 24.45 | 20 | 19 | -4 | 77 | -0 | 99.9 | 78 |
| 623 | 01:02 | 4250 | 23.59 | 19 | 18 | -5 | 77 | -0 | 99.9 | 79 |
| 624 | 01:02 | 4260 | 37.09 | 30 | 29 | -4 | 77 | -0 | 99.9 | 78 |
| 625 | 01:03 | 4270 | 23.27 | 19 | 18 | -5 | 77 | -0 | 99.9 | 79 |
| 626 | 01:03 | 4280 | 16.18 | 13 | 13 | -4 | 76 | -0 | 99.9 | 79 |
| 627 | 01:03 | 4290 | 22.88 | 19 | 18 | -4 | 76 | -0 | 99.9 | 79 |
| 628 | 01:03 | 4310 | 25.94 | 21 | 20 | -5 | 76 | -0 | 99.9 | 79 |
| 629 | 01:03 | 4330 | 22.98 | 19 | 18 | -4 | 77 | -0 | 99.9 | 79 |
| 630 | 01:03 | 4360 | 25.39 | 21 | 20 | -4 | 76 | -0 | 99.9 | 79 |
| 631 | 01:03 | 4390 | 24.61 | 21 | 20 | -5 | 76 | -0 | 99.9 | 79 |
| 632 | 01:03 | 4410 | 26.83 | 23 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 633 | 01:03 | 4430 | 27.24 | 23 | 22 | -5 | 77 | -0 | 99.9 | 79 |
| 634 | 01:03 | 4450 | 26.00 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 635 | 01:04 | 4480 | 28.63 | 24 | 23 | -5 | 76 | -0 | 99.9 | 79 |
| 636 | 01:04 | 4510 | 25.93 | 22 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 637 | 01:04 | 4540 | 27.92 | 24 | 23 | -5 | 76 | -0 | 99.9 | 79 |
| 638 | 01:04 | 4590 | 28.24 | 25 | 23 | -5 | 76 | -0 | 99.9 | 79 |
| 639 | 01:04 | 4630 | 11.27 | 10 | 9 | -5 | 76 | -0 | 99.9 | 79 |
| 640 | 01:04 | 4670 | 33.88 | 30 | 29 | -5 | 76 | -0 | 99.9 | 79 |
| 641 | 01:04 | 4710 | 14.40 | 13 | 12 | -5 | 76 | -0 | 99.9 | 79 |
| 642 | 01:04 | 4730 | 18.96 | 17 | 16 | -5 | 76 | -0 | 99.9 | 79 |
| 643 | 01:04 | 4750 | 19.90 | 18 | 17 | -5 | 77 | -0 | 99.9 | 79 |
| 644 | 01:04 | 4760 | 20.30 | 18 | 17 | -4 | 77 | -0 | 99.9 | 79 |
| 645 | 01:05 | 4780 | 21.13 | 19 | 18 | -4 | 77 | -0 | 99.9 | 78 |
| 646 | 01:05 | 4800 | 21.74 | 20 | 19 | -5 | 77 | -0 | 99.9 | 79 |
| 647 | 01:05 | 4820 | 22.15 | 20 | 19 | -4 | 77 | -0 | 99.9 | 78 |
| 648 | 01:05 | 4810 | 22.56 | 21 | 20 | -5 | 77 | -0 | 99.9 | 79 |
| 649 | 01:05 | 4800 | 22.94 | 21 | 20 | -4 | 77 | -0 | 99.9 | 78 |
| 650 | 01:05 | 4800 | 23.17 | 21 | 20 | -5 | 76 | -0 | 99.9 | 79 |
| 651 | 01:05 | 4800 | 23.47 | 21 | 20 | -4 | 77 | -0 | 99.9 | 78 |
| 652 | 01:05 | 4810 | 23.56 | 22 | 20 | -5 | 76 | -0 | 99.9 | 79 |

| Sample | sec | RPM | Lb/Ft | Hors... | COR HP | Airflow | Cool... | Fuel... | Mfd P... | Exha... |
|--------|-------|------|-------|---------|--------|---------|---------|---------|----------|---------|
| | | RPM | LbFt | HP | CHP | L/Min | F | PSI | Kpa | F |
| 653 | 01:05 | 4820 | 23.63 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 654 | 01:05 | 4810 | 23.97 | 22 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 655 | 01:06 | 4800 | 23.87 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 656 | 01:06 | 4800 | 23.96 | 22 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 657 | 01:06 | 4800 | 24.13 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 658 | 01:06 | 4780 | 24.16 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 659 | 01:06 | 4780 | 24.26 | 22 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 660 | 01:06 | 4780 | 24.25 | 22 | 21 | -5 | 77 | -0 | 99.9 | 78 |
| 661 | 01:06 | 4800 | 24.37 | 22 | 21 | -4 | 77 | -0 | 99.9 | 78 |
| 662 | 01:06 | 4810 | 24.32 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 663 | 01:06 | 4820 | 24.37 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 664 | 01:06 | 4830 | 24.34 | 22 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 665 | 01:07 | 4810 | 24.25 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 666 | 01:07 | 4820 | 24.27 | 22 | 21 | -5 | 77 | -0 | 99.9 | 78 |
| 667 | 01:07 | 4830 | 24.25 | 22 | 21 | -4 | 77 | -0 | 99.9 | 78 |
| 668 | 01:07 | 4820 | 24.32 | 22 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 669 | 01:07 | 4810 | 24.39 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 670 | 01:07 | 4830 | 24.32 | 22 | 21 | -5 | 77 | -0 | 99.9 | 78 |
| 671 | 01:07 | 4840 | 24.35 | 22 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 672 | 01:07 | 4840 | 24.28 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 673 | 01:07 | 4850 | 24.30 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 674 | 01:07 | 4850 | 24.33 | 22 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 675 | 01:08 | 4830 | 24.44 | 22 | 21 | -4 | 77 | -0 | 99.9 | 78 |
| 676 | 01:08 | 4830 | 24.47 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 677 | 01:08 | 4820 | 24.46 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 678 | 01:08 | 4820 | 24.46 | 22 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 679 | 01:08 | 4820 | 24.40 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 680 | 01:08 | 4820 | 24.42 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 681 | 01:08 | 4830 | 24.50 | 23 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 682 | 01:08 | 4850 | 24.45 | 23 | 21 | -4 | 76 | -0 | 99.9 | 79 |
| 683 | 01:08 | 4860 | 24.49 | 23 | 22 | -4 | 77 | -0 | 99.9 | 79 |
| 684 | 01:08 | 4870 | 24.56 | 23 | 22 | -5 | 76 | -0 | 99.9 | 79 |
| 685 | 01:09 | 4870 | 24.44 | 23 | 22 | -4 | 77 | -0 | 99.9 | 79 |
| 686 | 01:09 | 4870 | 24.50 | 23 | 22 | -4 | 77 | -0 | 99.9 | 78 |
| 687 | 01:09 | 4870 | 24.56 | 23 | 22 | -5 | 77 | -0 | 99.9 | 79 |
| 688 | 01:09 | 4870 | 24.55 | 23 | 22 | -5 | 76 | -0 | 99.9 | 79 |
| 689 | 01:09 | 4860 | 24.56 | 23 | 22 | -5 | 76 | -0 | 99.9 | 79 |
| 690 | 01:09 | 4860 | 24.67 | 23 | 22 | -5 | 77 | -0 | 99.9 | 78 |
| 691 | 01:09 | 4850 | 24.70 | 23 | 22 | -5 | 77 | -0 | 99.9 | 79 |
| 692 | 01:09 | 4840 | 24.42 | 23 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 693 | 01:09 | 4860 | 24.36 | 23 | 21 | -5 | 77 | -0 | 99.9 | 79 |
| 694 | 01:09 | 4870 | 24.28 | 23 | 21 | -4 | 77 | -0 | 99.9 | 79 |
| 695 | 01:10 | 4870 | 24.20 | 22 | 21 | -4 | 77 | -0 | 99.9 | 79 |
| 696 | 01:10 | 4880 | 24.17 | 22 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 697 | 01:10 | 4890 | 24.30 | 23 | 21 | -5 | 76 | -0 | 99.9 | 79 |
| 698 | 01:10 | 4900 | 24.36 | 23 | 22 | -5 | 77 | -0 | 99.9 | 78 |
| 699 | 01:10 | 4920 | 24.36 | 23 | 22 | -5 | 77 | -0 | 99.9 | 78 |
| 700 | 01:10 | 4930 | 24.44 | 23 | 22 | -5 | 76 | -0 | 99.9 | 79 |
| 701 | 01:10 | 4940 | 24.52 | 23 | 22 | -5 | 77 | -0 | 99.9 | 78 |
| 702 | 01:10 | 4940 | 24.67 | 23 | 22 | -5 | 77 | -0 | 99.9 | 79 |
| 703 | 01:10 | 4930 | 24.76 | 23 | 22 | -5 | 77 | -0 | 99.9 | 78 |
| 704 | 01:10 | 4960 | 24.66 | 23 | 22 | -4 | 76 | -0 | 99.9 | 79 |
| 705 | 01:11 | 4980 | 24.75 | 23 | 22 | -5 | 76 | -0 | 99.9 | 79 |
| 706 | 01:11 | 4970 | 24.76 | 23 | 22 | -5 | 76 | -0 | 99.9 | 79 |
| 707 | 01:11 | 4960 | 24.72 | 23 | 22 | -5 | 77 | -0 | 99.9 | 79 |
| 708 | 01:11 | 4960 | 24.71 | 23 | 22 | -5 | 77 | -0 | 99.9 | 78 |
| 709 | 01:11 | 4970 | 24.78 | 23 | 22 | -4 | 76 | -0 | 99.9 | 79 |
| 710 | 01:11 | 4970 | 24.66 | 23 | 22 | -5 | 77 | -0 | 99.9 | 79 |
| 711 | 01:11 | 4990 | 24.64 | 23 | 22 | -4 | 76 | -0 | 99.9 | 79 |
| 712 | 01:11 | 5000 | 24.72 | 24 | 22 | -5 | 76 | -0 | 99.9 | 79 |
| 713 | 01:11 | 4990 | 24.79 | 24 | 22 | -5 | 76 | -0 | 99.9 | 79 |

| Sample | sec | RPM RPM | Lb/Ft LbFt | Hors... HP | COR HP CHP | Airflow L/Min | Cool... F | Fuel... PSI | Mfd P... Kpa | Exha... F |
|--------|-------|------------|---------------|---------------|---------------|------------------|--------------|----------------|-----------------|--------------|
| 714 | 01:11 | 4990 | 24.77 | 24 | 22 | -5 | 76 | -0 | 99.9 | 79 |
| 715 | 01:12 | 5000 | 24.76 | 24 | 22 | -5 | 77 | -0 | 99.9 | 79 |
| 716 | 01:12 | 5020 | 24.78 | 24 | 23 | -5 | 76 | -0 | 99.9 | 79 |
| 717 | 01:12 | 5020 | 24.74 | 24 | 22 | -5 | 77 | -0 | 99.9 | 79 |
| 718 | 01:12 | 5040 | 24.92 | 24 | 23 | -4 | 77 | -0 | 99.9 | 79 |
| 719 | 01:12 | 5040 | 24.84 | 24 | 23 | -4 | 77 | -0 | 99.9 | 78 |
| 720 | 01:12 | 5040 | 24.84 | 24 | 23 | -5 | 76 | -0 | 99.9 | 79 |
| 721 | 01:12 | 5060 | 24.80 | 24 | 23 | -5 | 76 | -0 | 99.9 | 79 |
| 722 | 01:12 | 5080 | 24.74 | 24 | 23 | -5 | 76 | -0 | 99.9 | 79 |
| 723 | 01:12 | 5100 | 24.80 | 24 | 23 | -5 | 76 | -0 | 99.9 | 79 |
| 724 | 01:12 | 5120 | 24.75 | 24 | 23 | -4 | 76 | -0 | 99.9 | 78 |
| 725 | 01:13 | 5160 | 24.80 | 24 | 23 | -5 | 76 | -0 | 99.9 | 79 |
| 726 | 01:13 | 5180 | 24.88 | 25 | 23 | -5 | 76 | -0 | 99.9 | 79 |
| 727 | 01:13 | 5180 | 24.95 | 25 | 23 | -5 | 77 | -0 | 99.9 | 79 |
| 728 | 01:13 | 5170 | 25.06 | 25 | 23 | -5 | 76 | -0 | 99.9 | 78 |
| 729 | 01:13 | 5170 | 25.05 | 25 | 23 | -5 | 77 | -0 | 99.9 | 79 |
| 730 | 01:13 | 5190 | 25.20 | 25 | 24 | -5 | 76 | -0 | 99.9 | 79 |
| 731 | 01:13 | 5190 | 25.27 | 25 | 24 | -5 | 77 | -0 | 99.9 | 79 |
| 732 | 01:13 | 5190 | 25.17 | 25 | 24 | -4 | 77 | -0 | 99.9 | 78 |
| 733 | 01:13 | 5200 | 25.19 | 25 | 24 | -5 | 77 | -0 | 99.9 | 79 |
| 734 | 01:13 | 5210 | 25.22 | 25 | 24 | -5 | 76 | -0 | 99.9 | 78 |
| 735 | 01:14 | 5230 | 25.18 | 25 | 24 | -5 | 77 | -0 | 99.9 | 79 |
| 736 | 01:14 | 5240 | 25.06 | 25 | 24 | -5 | 76 | -0 | 99.9 | 79 |
| 737 | 01:14 | 5230 | 25.02 | 25 | 24 | -5 | 77 | -0 | 99.9 | 78 |
| 738 | 01:14 | 5230 | 25.06 | 25 | 24 | -4 | 77 | -0 | 99.9 | 78 |
| 739 | 01:14 | 5230 | 25.17 | 25 | 24 | -4 | 77 | -0 | 99.9 | 78 |
| 740 | 01:14 | 5220 | 25.10 | 25 | 24 | -5 | 76 | -0 | 99.9 | 79 |
| 741 | 01:14 | 5220 | 25.14 | 25 | 24 | -5 | 76 | -0 | 99.9 | 79 |
| 742 | 01:14 | 5230 | 25.27 | 25 | 24 | -5 | 77 | -0 | 99.9 | 78 |
| 743 | 01:14 | 5220 | 25.10 | 25 | 24 | -5 | 76 | -0 | 99.9 | 79 |
| 744 | 01:14 | 5210 | 25.07 | 25 | 24 | -4 | 76 | -0 | 99.9 | 79 |
| 745 | 01:15 | 5210 | 25.14 | 25 | 24 | -4 | 77 | -0 | 99.9 | 78 |
| 746 | 01:15 | 5240 | 25.10 | 25 | 24 | -4 | 76 | -0 | 99.9 | 79 |
| 747 | 01:15 | 5280 | 25.11 | 25 | 24 | -4 | 77 | -0 | 99.9 | 78 |
| 748 | 01:15 | 5310 | 25.13 | 25 | 24 | -5 | 77 | -0 | 99.9 | 79 |
| 749 | 01:15 | 5330 | 25.13 | 26 | 24 | -4 | 77 | -0 | 99.9 | 79 |
| 750 | 01:15 | 5360 | 25.07 | 26 | 24 | -5 | 76 | -0 | 99.9 | 79 |
| 751 | 01:15 | 5390 | 25.09 | 26 | 24 | -4 | 76 | -0 | 99.9 | 79 |
| 752 | 01:15 | 5440 | 24.89 | 26 | 25 | -5 | 76 | -0 | 99.9 | 79 |
| 753 | 01:15 | 5520 | 24.93 | 26 | 25 | -5 | 76 | -0 | 99.9 | 79 |
| 754 | 01:15 | 5590 | 24.95 | 27 | 25 | -5 | 76 | -0 | 99.9 | 79 |
| 755 | 01:16 | 5670 | 24.99 | 27 | 26 | -5 | 76 | -0 | 99.9 | 79 |
| 756 | 01:16 | 5780 | 25.02 | 28 | 26 | -4 | 77 | -0 | 99.9 | 78 |
| 757 | 01:16 | 5900 | 25.19 | 28 | 27 | -5 | 77 | -0 | 99.9 | 79 |
| 758 | 01:16 | 6060 | 25.25 | 29 | 28 | -5 | 77 | -0 | 99.9 | 79 |
| 759 | 01:16 | 6170 | 25.64 | 30 | 29 | -4 | 77 | -0 | 99.9 | 79 |
| 760 | 01:16 | 6250 | 25.81 | 31 | 29 | -4 | 77 | -0 | 99.9 | 79 |
| 761 | 01:16 | 6350 | 25.97 | 31 | 30 | -5 | 76 | -0 | 99.9 | 79 |
| 762 | 01:16 | 6410 | 26.06 | 32 | 30 | -5 | 76 | -0 | 99.9 | 79 |
| 763 | 01:16 | 6490 | 26.28 | 32 | 31 | -4 | 77 | -0 | 99.9 | 79 |
| 764 | 01:16 | 6570 | 26.38 | 33 | 31 | -5 | 76 | -0 | 99.9 | 79 |
| 765 | 01:17 | 6630 | 26.49 | 33 | 32 | -4 | 77 | -0 | 99.9 | 78 |
| 766 | 01:17 | 6640 | 26.78 | 34 | 32 | -5 | 76 | -0 | 99.9 | 79 |
| 767 | 01:17 | 6660 | 26.90 | 34 | 32 | -5 | 76 | -0 | 99.9 | 79 |
| 768 | 01:17 | 6690 | 26.95 | 34 | 33 | -5 | 77 | -0 | 99.9 | 78 |
| 769 | 01:17 | 6720 | 27.04 | 35 | 33 | -4 | 77 | -0 | 99.9 | 79 |
| 770 | 01:17 | 6730 | 27.12 | 35 | 33 | -5 | 77 | -0 | 99.9 | 79 |
| 771 | 01:17 | 6740 | 27.12 | 35 | 33 | -5 | 77 | -0 | 99.9 | 79 |
| 772 | 01:17 | 6750 | 27.22 | 35 | 33 | -5 | 76 | -0 | 99.9 | 79 |
| 773 | 01:17 | 6740 | 27.40 | 35 | 33 | -5 | 76 | -0 | 99.9 | 79 |
| 774 | 01:17 | 6730 | 27.40 | 35 | 33 | -5 | 76 | -0 | 99.9 | 79 |