

Sample	sec	RPM RPM	Lb/Ft LbFt	Hors... HP	COR HP CHP	Airflow L/Min	Cool... F	Fuel... PSI	Mfd P... Kpa	Exha... F
43	04.31	3710	21.38	15	14	-5	77	-0	99.9	80
44	04.41	3670	21.21	15	14	-5	77	-0	99.9	80
45	04.50	3630	21.18	15	14	-5	77	-0	99.9	80
46	04.61	3590	21.04	14	14	-5	77	-0	99.9	80
47	04.70	3530	20.99	14	13	-5	77	-0	99.9	80
48	04.81	3480	20.80	14	13	-6	77	-0	99.9	80
49	04.91	3440	20.64	14	13	-6	77	-0	99.9	80
50	05.00	3390	20.54	13	13	-5	77	-0	99.9	80
51	05.11	3340	20.44	13	12	-5	77	-0	99.9	80
52	05.20	3310	20.27	13	12	-5	77	-0	99.9	80
53	05.31	3280	20.14	13	12	-5	77	-0	99.9	80
54	05.41	3240	20.04	12	12	-5	77	-0	99.9	80
55	05.50	3210	19.86	12	12	-5	77	-0	99.9	80
56	05.61	3180	19.62	12	11	-5	77	-0	99.9	80
57	05.70	3150	19.48	12	11	-5	77	-0	99.9	80
58	05.81	3120	19.31	11	11	-6	77	-0	99.9	80
59	05.91	3090	19.24	11	11	-5	77	-0	99.9	80
60	06.00	3060	19.07	11	11	-5	77	-0	99.9	80
61	06.11	3040	18.90	11	10	-5	77	-0	99.9	80
62	06.20	3020	18.85	11	10	-6	77	-0	99.9	80
63	06.31	2990	18.65	11	10	-6	77	-0	99.9	80
64	06.41	2970	18.61	11	10	-5	77	-0	99.9	80
65	06.50	2940	18.51	10	10	-6	77	-0	99.9	80
66	06.61	2910	18.42	10	10	-6	77	-0	99.9	80
67	06.70	2890	18.38	10	10	-5	77	-0	99.9	80
68	06.81	2860	18.30	10	9	-5	77	-0	99.9	80
69	06.91	2850	18.19	10	9	-5	77	-0	99.9	80
70	07.00	2820	18.10	10	9	-5	77	-0	99.9	80
71	07.11	2800	18.01	10	9	-5	77	-0	99.9	80
72	07.20	2780	17.97	10	9	-6	77	-0	99.9	80
73	07.31	2750	17.84	9	9	-5	77	-0	99.9	80
74	07.41	2720	17.77	9	9	-6	77	-0	99.9	80
75	07.50	2700	17.73	9	9	-5	77	-0	99.9	80
76	07.61	2680	17.62	9	9	-5	77	-0	99.9	80
77	07.70	2660	17.56	9	8	-5	77	-0	99.9	80
78	07.81	2640	17.48	9	8	-5	77	-0	99.9	80
79	07.91	2640	17.36	9	8	-5	77	-0	99.9	80
80	08.00	2630	17.33	9	8	-5	77	-0	99.9	80
81	08.11	2630	17.29	9	8	-5	77	-0	99.9	80
82	08.20	2630	17.28	9	8	-5	77	-0	99.9	80
83	08.31	2620	17.22	9	8	-5	77	-0	99.9	80
84	08.41	2620	17.21	9	8	-5	77	-0	99.9	80
85	08.50	2620	17.22	9	8	-5	77	-0	99.9	80
86	08.61	2620	17.19	9	8	-5	77	-0	99.9	80
87	08.70	2610	17.18	9	8	-5	77	-0	99.9	80
88	08.81	2610	17.21	9	8	-5	77	-0	99.9	80
89	08.91	2610	17.26	9	8	-5	77	-0	99.9	80
90	09.00	2610	17.17	9	8	-5	77	-0	99.9	80
91	09.11	2610	17.21	9	8	-5	77	-0	99.9	80
92	09.20	2620	17.10	9	8	-6	77	-0	99.9	80
93	09.31	2620	17.07	9	8	-5	77	-0	99.9	80
94	09.41	2630	17.09	9	8	-5	77	-0	99.9	80
95	09.50	2650	17.11	9	8	-5	77	-0	99.9	80
96	09.61	2660	17.11	9	8	-5	77	-0	99.9	80
97	09.70	2680	17.14	9	8	-5	77	-0	99.9	80
98	09.81	2690	17.15	9	8	-5	77	-0	99.9	80
99	09.91	2690	17.12	9	8	-5	77	-0	99.9	80
100	10.00	2700	17.06	9	8	-5	77	-0	99.9	80
101	10.11	2730	17.10	9	8	-5	77	-0	99.9	80
102	10.20	2750	17.15	9	9	-5	77	-0	99.9	80
103	10.31	2760	17.18	9	9	-5	77	-0	99.9	80

Sample	sec	RPM RPM	Lb/Ft LbFt	Hors... HP	COR HP CHP	Airflow L/Min	Cool... F	Fuel... PSI	Mfd P... Kpa	Exha... F
104	10.41	2770	17.11	9	9	-5	77	-0	99.9	80
105	10.50	2790	17.18	9	9	-5	77	-0	99.9	80
106	10.61	2810	17.26	9	9	-5	77	-0	99.9	80
107	10.70	2820	17.31	9	9	-5	77	-0	99.9	80
108	10.81	2830	17.26	9	9	-5	77	-0	99.9	80
109	10.91	2840	17.29	9	9	-5	77	-0	99.9	80
110	11.00	2860	17.41	9	9	-6	77	-0	99.9	80
111	11.11	2890	17.49	10	9	-5	77	-0	99.9	80
112	11.20	2900	17.46	10	9	-5	77	-0	99.9	80
113	11.31	2920	17.51	10	9	-5	77	-0	99.9	80
114	11.41	2930	17.54	10	9	-5	77	-0	99.9	80
115	11.50	2960	17.64	10	9	-6	77	-0	99.9	80
116	11.61	2980	17.65	10	10	-5	77	-0	99.9	80
117	11.70	3000	17.73	10	10	-5	77	-0	99.9	79
118	11.81	3020	17.77	10	10	-5	77	-0	99.9	80
119	11.91	3050	17.85	10	10	-6	77	-0	99.9	80
120	12.00	3070	18.01	11	10	-5	77	-0	99.9	80
121	12.11	3100	18.06	11	10	-6	77	-0	99.9	80
122	12.20	3120	18.05	11	10	-5	77	-0	99.9	80
123	12.31	3160	18.11	11	10	-6	77	-0	99.9	80
124	12.41	3190	18.26	11	11	-5	77	-0	99.9	80
125	12.50	3220	18.37	11	11	-5	77	-0	99.9	80
126	12.61	3260	18.42	11	11	-5	77	-0	99.9	80
127	12.70	3310	18.54	12	11	-5	77	-0	99.9	80
128	12.81	3360	18.65	12	11	-5	77	-0	99.9	80
129	12.91	3400	18.83	12	12	-6	77	-0	99.9	80
130	13.00	3430	18.97	12	12	-5	77	-0	99.9	80
131	13.11	3480	19.11	13	12	-5	77	-0	99.9	80
132	13.20	3520	19.33	13	12	-5	77	-0	99.9	80
133	13.31	3560	19.46	13	13	-5	77	-0	99.9	80
134	13.41	3590	19.52	13	13	-5	77	-0	99.9	80
135	13.50	3640	19.56	14	13	-5	77	-0	99.9	80
136	13.61	3690	19.71	14	13	-5	77	-0	99.9	80
137	13.70	3720	19.85	14	13	-5	77	-0	99.9	80
138	13.81	3750	19.95	14	14	-6	77	-0	99.9	80
139	13.91	3790	19.90	14	14	-5	77	-0	99.9	80
140	14.00	3840	20.02	15	14	-6	77	-0	99.9	80
141	14.11	3900	20.06	15	14	-6	77	-0	99.9	80
142	14.20	3950	20.11	15	14	-5	77	-0	99.9	80
143	14.31	4010	20.06	15	15	-5	77	-0	99.9	80
144	14.41	4060	20.00	15	15	-5	77	-0	99.9	80
145	14.50	4120	20.07	16	15	-6	77	-0	99.9	80
146	14.61	4190	24.93	20	19	-5	77	-0	99.9	80
147	14.70	4240	6.19	5	5	-5	77	-0	99.9	80
148	14.81	4310	4.18	3	3	-5	77	-0	99.9	80
149	14.91	4380	23.12	19	18	-5	77	-0	99.9	80
150	15.00	4430	22.63	19	18	-5	77	-0	99.9	80
151	15.11	4500	22.09	19	18	-5	77	-0	99.9	80
152	15.20	4550	21.93	19	18	-5	77	-0	99.9	80
153	15.31	4600	21.80	19	18	-5	77	-0	99.9	80
154	15.41	4630	21.72	19	18	-5	77	-0	99.9	80
155	15.50	4660	21.52	19	18	-5	77	-0	99.9	80
156	15.61	4710	21.55	19	18	-5	77	-0	99.9	80
157	15.70	4720	21.43	19	18	-5	77	-0	99.9	80
158	15.81	4740	21.51	19	18	-5	77	-0	99.9	80
159	15.91	4760	21.44	19	18	-6	77	-0	99.9	80
160	16.00	4790	21.44	20	19	-5	77	-0	99.9	80
161	16.11	4820	21.30	20	19	-5	77	-0	99.9	80
162	16.20	4840	21.25	20	19	-5	77	-0	99.9	80
163	16.31	4870	21.30	20	19	-5	77	-0	99.9	80
164	16.41	4890	21.32	20	19	-6	77	-0	99.9	80

Sample	sec	RPM RPM	Lb/Ft LbFt	Hors... HP	COR HP CHP	Airflow L/Min	Cool... F	Fuel... PSI	Mfd P... Kpa	Exha... F
165	16.50	4910	21.25	20	19	-6	77	-0	99.9	80
166	16.61	4940	21.20	20	19	-6	77	-0	99.9	80
167	16.70	4960	21.27	20	19	-5	77	-0	99.9	80
168	16.81	4980	21.19	20	19	-5	77	-0	99.9	80
169	16.91	5000	21.21	20	19	-5	77	-0	99.9	80
170	17.00	5030	21.22	20	19	-5	77	-0	99.9	80
171	17.11	5070	21.18	20	19	-6	77	-0	99.9	80
172	17.20	5080	21.27	21	20	-5	77	-0	99.9	80
173	17.31	5090	21.22	21	20	-5	77	-0	99.9	80
174	17.41	5100	21.28	21	20	-5	77	-0	99.9	80
175	17.50	5110	21.34	21	20	-5	77	-0	99.9	80
176	17.61	5150	21.37	21	20	-6	77	-0	99.9	80
177	17.70	5160	21.46	21	20	-6	77	-0	99.9	80
178	17.81	5170	21.37	21	20	-5	77	-0	99.9	80
179	17.91	5210	21.23	21	20	-5	77	-0	99.9	80
180	18.00	5240	21.25	21	20	-5	77	-0	99.9	80
181	18.11	5270	21.21	21	20	-5	77	-0	99.9	80
182	18.20	5310	21.11	21	20	-6	77	-0	99.9	80
183	18.31	5350	21.18	22	20	-6	77	-0	99.9	80
184	18.41	5380	21.10	22	21	-6	77	-0	99.9	80
185	18.50	5410	21.15	22	21	-5	77	-0	99.9	80
186	18.61	5420	21.12	22	21	-5	77	-0	99.9	80
187	18.70	5450	20.98	22	21	-6	77	-0	99.9	80
188	18.81	5460	21.07	22	21	-5	77	-0	99.9	80
189	18.91	5460	21.07	22	21	-5	77	-0	99.9	80
190	19.00	5480	20.97	22	21	-6	77	-0	99.9	80
191	19.11	5500	21.09	22	21	-6	77	-0	99.9	80
192	19.20	5510	21.08	22	21	-6	77	-0	99.9	80
193	19.31	5520	21.02	22	21	-5	77	-0	99.9	80
194	19.41	5520	20.98	22	21	-5	77	-0	99.9	80
195	19.52	5540	21.00	22	21	-5	77	-0	99.9	80
196	19.61	5550	21.01	22	21	-5	77	-0	99.9	80
197	19.70	5560	21.09	22	21	-5	77	-0	99.9	80
198	19.81	5560	20.95	22	21	-5	77	-0	99.9	80
199	19.91	5590	20.78	22	21	-6	77	-0	99.9	80
200	20.02	5630	20.82	22	21	-6	77	-0	99.9	80
201	20.11	5630	20.88	22	21	-5	77	-0	99.9	80
202	20.20	5640	20.78	22	21	-5	77	-0	99.9	80
203	20.31	5680	20.63	22	21	-6	77	-0	99.9	80
204	20.41	5730	20.65	23	21	-5	77	-0	99.9	80
205	20.50	5770	20.60	23	21	-5	77	-0	99.9	80
206	20.61	5810	20.58	23	22	-5	77	-0	99.9	80
207	20.70	5840	20.57	23	22	-5	77	-0	99.9	80
208	20.81	5880	20.58	23	22	-5	77	-0	99.9	80
209	20.91	5910	20.68	23	22	-6	77	-0	99.9	80
210	21.00	5940	20.79	24	22	-5	77	-0	99.9	80
211	21.11	5990	20.87	24	23	-5	77	-0	99.9	80
212	21.20	6040	20.81	24	23	-5	77	-0	99.9	80
213	21.31	6090	21.04	24	23	-5	77	-0	99.9	80
214	21.41	6140	21.37	25	24	-5	77	-0	99.9	80
215	21.50	6200	21.64	26	24	-5	77	-0	99.9	80
216	21.61	6260	21.96	26	25	-6	77	-0	99.9	80
217	21.70	6320	22.18	27	25	-5	77	-0	99.9	80
218	21.81	6420	22.73	28	26	-5	77	-0	99.9	80
219	21.91	6500	23.05	29	27	-5	77	-0	99.9	80
220	22.00	6600	23.51	30	28	-5	77	-0	99.9	80
221	22.11	6720	24.05	31	29	-5	77	-0	99.9	80
222	22.20	6830	24.61	32	30	-5	77	-0	99.9	80
223	22.31	6910	25.25	33	32	-6	77	-0	99.9	80
224	22.41	6990	25.68	34	32	-6	77	-0	99.9	80
225	22.50	7070	26.14	35	33	-6	77	-0	99.9	80

Sample	sec	RPM RPM	Lb/Ft LbFt	Hors... HP	COR HP CHP	Airflow L/Min	Cool... F	Fuel... PSI	Mfd P... Kpa	Exha... F
226	22.61	7170	26.93	37	35	-5	77	-0	99.9	80
227	22.70	7250	27.41	38	36	-6	77	-0	99.9	80
228	22.81	7370	27.99	39	37	-5	77	-0	99.9	80
229	22.91	7480	28.37	40	38	-5	77	-0	99.9	80
230	23.00	7580	28.66	41	39	-5	77	-0	99.9	80
231	23.11	7690	28.94	42	40	-5	77	-0	99.9	80
232	23.20	7780	29.19	43	41	-6	77	-0	99.9	80
233	23.31	7880	29.22	44	42	-5	77	-0	99.9	80
234	23.41	7970	29.23	44	42	-5	77	-0	99.9	80
235	23.50	8040	29.36	45	43	-5	77	-0	99.9	80
236	23.61	8120	29.35	45	43	-5	77	-0	99.9	80
237	23.70	8180	29.38	46	43	-6	77	-0	99.9	80
238	23.81	8250	29.16	46	44	-5	77	-0	99.9	80
239	23.91	8340	29.05	46	44	-6	77	-0	99.9	80
240	24.00	8430	28.83	46	44	-5	77	-0	99.9	80
241	24.11	8550	28.45	46	44	-5	77	-0	99.9	80
242	24.20	8690	27.98	46	44	-6	77	-0	99.9	80
243	24.31	8890	26.96	46	43	-5	77	-0	99.9	80
244	24.41	8970	10.62	18	17	-5	77	-0	99.9	80
245	24.50	9000	23.36	40	38	-6	77	-0	99.9	80
246	24.61	8890	-0.67	-1	-1	-5	77	-0	99.9	80
247	24.70	8790	18.32	31	29	-6	77	-0	99.9	80
248	24.81	8560	16.05	26	25	-5	77	-0	99.9	80
249	24.91	7700	13.71	20	19	-5	77	-0	99.9	80
250	25.00	6540	11.46	14	14	-5	77	-0	99.9	80
251	25.11	5270	8.95	9	9	-6	77	-0	99.9	80
252	25.20	4370	7.24	6	6	-5	77	-0	99.9	80
253	25.31	3430	5.53	4	3	-5	77	-0	99.9	80
254	25.41	2960	4.44	3	2	-6	77	-0	99.9	80
255	25.50	2620	3.53	2	2	-5	77	-0	99.9	80
256	25.61	2960	2.87	2	2	-5	77	-0	99.9	80
257	25.70	3710	2.54	2	2	-5	77	-0	99.9	80
258	25.81	5060	2.47	2	2	-6	77	-0	99.9	80
259	25.91	6120	2.64	3	3	-5	77	-0	99.9	80
260	26.00	6200	2.76	3	3	-6	77	-0	99.9	80
261	26.11	5550	2.59	3	3	-5	77	-0	99.9	80
262	26.20	4970	2.24	2	2	-5	77	-0	99.9	80
263	26.31	4600	1.92	2	2	-5	77	-0	99.9	80
264	26.41	4670	1.79	2	2	-6	77	-0	99.9	80
265	26.50	4850	1.74	2	2	-5	77	-0	99.9	80
266	26.61	5000	1.68	2	2	-5	77	-0	99.9	80
267	26.70	4990	1.64	2	1	-5	77	-0	99.9	80
268	26.81	4720	1.77	2	2	-6	77	-0	99.9	80
269	26.91	4520	1.71	1	1	-5	77	-0	99.9	80
270	27.00	4420	1.67	1	1	-6	77	-0	99.9	80
271	27.11	4380	1.55	1	1	-5	77	-0	99.9	80
272	27.20	4330	1.59	1	1	-6	77	-0	99.9	80
273	27.31	4230	1.63	1	1	-5	77	-0	99.9	80
274	27.41	4050	1.51	1	1	-6	77	-0	99.9	80
275	27.50	3690	1.32	1	1	-5	77	-0	99.9	80
276	27.61	3320	1.23	1	1	-5	77	-0	99.9	80
277	27.70	3080	1.10	1	1	-6	77	-0	99.9	80
278	27.81	2980	0.96	1	1	-5	77	-0	99.9	80
279	27.91	2910	0.89	0	0	-5	77	-0	99.9	80
280	28.00	2740	0.83	0	0	-5	77	-0	99.9	80
281	28.11	2490	0.74	0	0	-6	77	-0	99.9	80
282	28.20	2370	0.64	0	0	-6	77	-0	99.9	80
283	28.31	2310	0.57	0	0	-5	77	-0	99.9	80
284	28.41	2300	0.47	0	0	-5	77	-0	99.9	80
285	28.50	2350	0.44	0	0	-5	77	-0	99.9	80
286	28.61	2360	0.40	0	0	-5	77	-0	99.9	80